

L Number	Hits	Search Text	DB	Time stamp
-	13077	SQL (Structured adj Query adj Language)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/14 08:46
-	4	SPUFI ((SQL (Structured adj Query adj Language)) adj processor adj using adj file adj input)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/14 09:49
-	436044	db database (data adj base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 10:05
-	2339506	run execute apply	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/14 11:35
-	252251	update query	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/14 11:35
-	2884	(run execute apply) adj (update query)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/14 11:36
-	2104564	backup mirror copy test	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 10:06
-	3813	(backup mirror copy test) near (db database (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/14 11:37
-	8	((run execute apply) adj (update query)) with ((backup mirror copy test) near (db database (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/14 11:37
-	3377920	code program query module file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 07:35
-	436044	db database (data adj base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 07:21
-	2967176	debug\$4 develop\$4 writ\$3 build\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 07:35
-	1499028	lock\$3 (read adj only) freeze	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 07:26
-	10243	(lock\$3 (read adj only) freeze) near (code program query module file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 07:29

-	77035	(debug\$4 develop\$4 writ\$3 build\$3) near (code program query module file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 07:29
-	331	((lock\$3 (read adj only) freeze) near (code program query module file)) same ((debug\$4 develop\$4 writ\$3 build\$3) near (code program query module file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 07:30
-	17	((lock\$3 (read adj only) freeze) near (code program query module file)) same ((debug\$4 develop\$4 writ\$3 build\$3) near (code program query module file)) same (db database (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 07:30
-	3246213	code program query module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 07:35
-	1818909	debug\$4 develop\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 07:36
-	12	((code program query module) near (lock\$3 (read adj only) freeze)) same ((code program query module) near (debug\$4 develop\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 07:45
-	153	((code program query module) near (lock\$3 (read adj only) freeze)) same (debug\$4 develop\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 07:46
-	436044	db database (data adj base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 12:19
-	2104564	backup mirror copy test	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 10:07
-	2772077	development production	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 10:07
-	765	(development production) adj (db database (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 10:09
-	782669	development	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 10:09
-	9	(development adj (db database (data adj base))) same (production adj (db database (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 10:43
-	16	(development adj (db database (data adj base))) and (production adj (db database (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 10:24

-	7	((development adj (db database (data adj base))) and (production adj (db database (data adj base)))) not ((development adj (db database (data adj base))) same (production adj (db database (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 10:24
-	32	((test development) adj (db database (data adj base))) same ((live production) adj (db database (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 11:19
-	21	((test development) adj (db database (data adj base))) same ((live production) adj (db database (data adj base)))) not ((development adj (db database (data adj base))) and (production adj (db database (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 10:45
-	39	((test development) adj (db database (data adj base))) and ((live production) adj (db database (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 11:22
-	18	((test development) adj (db database (data adj base))) and ((live production) adj (db database (data adj base)))) not (((test development) adj (db database (data adj base))) same ((live production) adj (db database (data adj base)))) not ((development adj (db database (data adj base))) and (production adj (db database (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 11:28
-	2	((test development) adj (db database (data adj base))) and ((live production) adj (db database (data adj base)))) not (((test development) adj (db database (data adj base))) same ((live production) adj (db database (data adj base)))) not ((development adj (db database (data adj base))) and (production adj (db database (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 11:28
-	943	records adj changed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 12:27
-	3	((query update) with (records adj changed)) same (compare)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 12:21
-	95	(query update) with (records adj changed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 12:23
-	3	return with (query update) with (records adj changed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 12:24
-	13	(number count) near records adj changed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 12:28

-	6	(number count) near (records adj changed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 14:33
-	12879	query with (number count)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 14:36
-	0	query with ((number count) adj (record\$1 row\$1) adj (change\$1 update\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 14:40
-	443	query with ((number count) adj (record row))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 14:39
-	11	query with ((number count) adj (record\$1 row\$1)) with (change\$1 update\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 14:54
-	15	query with ((number count) adj (record\$1 row\$1)) with (change\$1 update\$1 effect\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 14:54
-	4	(query with ((number count) adj (record\$1 row\$1)) with (change\$1 update\$1 effect\$2)) not (query with ((number count) adj (record\$1 row\$1)) with (change\$1 update\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 14:59
-	0	6405187b1.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 14:59
-	2	6405187.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/15 15:00
-	5922404	database db (data base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/18 07:16
-	148351	restore (roll adj back) rollback undo	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/18 07:16
-	1815	(restore (roll adj back) rollback undo) with (database db (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/18 07:16
-	916628	querry update insert	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/18 08:10
-	234	((restore (roll adj back) rollback undo) with (database db (data adj base))) with (querry update insert)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/18 07:18

-	2	6446089.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 07:25
-	1169585	record row	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 07:25
-	4492461	count number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 07:25
-	47196	(record row) near (count number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 07:26
-	20232	(record row) adj (count number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 07:27
-	2624605	check\$3 compare\$3 expect\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 08:55
-	74	(check\$3 compare\$3 expect\$2) adj ((record row) adj (count number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 07:27
-	436188	database db (data adj base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 07:29
-	29	(database db (data adj base)) and ((check\$3 compare\$3 expect\$2) adj ((record row) adj (count number)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 07:29
-	0	(query update insert) near ((check\$3 compare\$3 expect\$2) adj ((record row) adj (count number)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 08:10
-	11	(query update insert) same ((check\$3 compare\$3 expect\$2) adj ((record row) adj (count number)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 08:14
-	39	((record row) near (count number) near (check\$3 compare\$3 expect\$2)) same (query update insert)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 08:15
-	28	((record row) near (count number) near (check\$3 compare\$3 expect\$2)) same (query update insert) not ((query update insert) same ((check\$3 compare\$3 expect\$2) adj ((record row) adj (count number))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 08:15
-	354	(record row) near (count number) near (check\$3 compare\$3 expect\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 08:48

-	298	((record row) near (count number) near (check\$3 compare\$3 expect\$2)) and @ad<20011205	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/18 08:49
-	2157684	compare\$3 expect\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/18 08:55
-	152	(compare\$3 expect\$2) near (record row) near (count number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/18 08:56